

S-WORKS ROUBAIX FRAMESET



Sunset Chameleon - Chameleon Fade/Holographic Reflective

With six wins at Paris-Roubaix, our Roubaix has proven that Smoother is Faster. Until this moment, however, smooth has admittedly come with some compromises. But not anymore. The all-new S-Works Roubaix now delivers compliance without compromise by introducing our radical new Future Shock 2.0 that gives you more control and damping options, a new Pavé seatpost that creates our most balanced Roubaix to date, aerodynamics that equal the Tarmac, and a Rider-First Engineered™ frame that tips the scales below 900 grams (Size: 56cm | Black). Is it still comfortable? Sure, but don't call it a comfort bike, because performance was behind every engineering decision we made. This is the new Roubaix.

- The new frame delivers compliance without compromise via the perfect balance of aerodynamics, light overall weight, compliance, and Rider-First Engineering™. With tube shapes that were born in our FreeFoil Shape Library and validated in the Win Tunnel, the new Roubaix's as aero as the Tarmac SL6. Meanwhile, to ensure the weight and ride quality, we turned to a Rider-First Engineered™ design to deliver optimal stiffness and compliance across all sizes, from 44 to 64cm. Of course, the frame also stays below 900 grams (Size 56cm | Black). And to prep you for your own Hell of the North, we've made room for 33mm tires.
- To go along with the new frame, we've also developed a totally-new S-Works Pavé seatpost. Not only is it the first compliant seatpost that's ALSO aerodynamic, it does so without any additional weight or finicky contraptions. Starting with the same D-shape design found on the Tarmac, we took its compliance a step further by building additional flex into the upper and developing a new drop-clamp design in the frame. This provides plenty of compliance, while staying perfectly balanced with the front-end, so you get a smooth, balanced ride no matter how rough the road.
- The Future Shock 2.0 is the result of our pro riders' demands for the cobbles of Roubaix. It's smoother, faster, and gives you more control via a knob atop the stem. This knob adjusts compression from fully-open to stiff, while hydraulically-damped internals control rebound. Add it up, and this latest version will reduce fatigue and increase your speed, no matter the terrain. The new Smooth Boot, top cap, and Future Stem also enhance the aesthetic, so you get a clean transition from head tube to stem.

SPECS	Specifications subject to change without notice.
FRAME	FACT 11R, Rider First Engineered™ (RFE), FreeFoil Shape Library tubes, threaded BB, 12x142mm thru-axle, flat-mount disc
FORK	Future Shock 2.0 w/ Damper, Smooth Boot, 12x100 mm thru-axle, flat-mount
SEATPOST	S-Works Pavé

S-WORKS ROUBAIX FRAMESET

	44	49	52	54	56	58	61
Stack (mm)	540	555	570	585	605	630	665
Reach (mm)	353	363	368	376	384	392	398
Head Tube Length (mm)	90	100	112	125	143	170	205
Head Tube Angle (degrees)	70	71.5	72	72.75	73.5	73.5	74
BB Height (mm)	265	265	265	266	266	268	268
BB Drop (mm)	77.5	77.5	77.5	76	76	74.5	74.5
Trail (mm)	71	62	59	61	55	55	52
Fork Length, Full (mm)	370	370	370	370	370	370	370
Fork Rake/Offset (mm)	50	50	50	44	44	44	44
Front Center (mm)	580	581	586	585	592	607	618
Chainstay Length (mm)	413	413	413	415	415	418	418
Wheelbase (mm)	981	982	986	988	995	1014	1024
Top Tube Length, Horizontal (mm)	512	525	533	545	563	579	595
Bike Standover Height (mm)	682	715	743	762	783	805	844
Seat Tube Length (mm)	410	410	446	465	485	505	547
Seat Tube Angle (degrees)	74	74	74	74	73.5	73.5	73.5

PART NO.	DESCRIPTION	COLOR	SIZE
74420-0149	ROUBAIX SW FRMSET	SUNCHAM-CHAM/HOLO	49
74420-0152			52
74420-0154			54
74420-0156			56
74420-0158			58
74420-0161			61

S-WORKS ROUBAIX - SRAM RED ETAP AXS



Satin Carbon-Tarmac Black Black Crystal Black Reflective

With six wins at Paris-Roubaix, our Roubaix has proven that Smoother is Faster. Until this moment, however, smooth has admittedly come with some compromises. But not anymore. The all-new S-Works Roubaix now delivers compliance without compromise by introducing radical new Future Shock 2.0 that gives you more control and damping options, a new Pavé seatpost that creates our most balanced Roubaix to date, aerodynamics that equal the Tarmac, and a Rider-First Engineered™ frame that tips the scales below 900 grams (Size: 56cm | Black). Is it still comfortable? Sure, but don't call it a comfort bike, because performance was behind every engineering decision we made. This is the new Roubaix.

- The new frame delivers compliance without compromise via the perfect balance of aerodynamics, light overall weight, compliance, and Rider-First Engineering™. With tube shapes that were born in our FreeFoil Shape Library and validated in the Win Tunnel, the new Roubaix's as aero as the Tarmac SL6. Meanwhile, to ensure the weight and ride quality, we turned to a Rider-First Engineered™ design to deliver optimal stiffness and compliance across all sizes, from 44 to 64cm. Of course, the frame also stays below 900 grams (Size 56cm | Black). And to prep you for your own Hell of the North, we've made room for 33mm tires.
- To go along with the new frame, we've also developed a totally-new S-Works Pavé seatpost. Not only is it the first compliant seatpost that's ALSO aerodynamic, it does so without any additional weight or finicky contraptions. Starting with the same D-shape design found on the Tarmac, we took its compliance a step further by building additional flex into the upper and developing a new drop-clamp design in the frame. This provides plenty of compliance, while staying perfectly balanced with the front-end, so you get a smooth, balanced ride no matter how rough the road.
- The Future Shock 2.0 is the result of our pro riders' demands for the cobbles of Roubaix. It's smoother, faster, and gives you more control via a knob atop the stem. This knob adjusts compression from fully-open to stiff, while hydraulically-damped internals control rebound. Add it up, and this latest version will reduce fatigue and increase your speed, no matter the terrain. The new Smooth Boot, top cap, and Future Stem also enhance the aesthetic, so you get a clean transition from head tube to stem.

SPECS	Specifications subject to change without notice.
FRAME	FACT 11R, Rider First Engineered™ (RFE), FreeFoil Shape Library tubes, threaded BB, 12x142mm thru-axle, flat-mount disc
FORK	Future Shock 2.0 w/ Damper, Smooth Boot, 12x100 mm thru-axle, flat-mount
HANDLEBARS	S-Works Carbon Hover Drop, 125x75mm
STEM	S-Works Future Stem w/ Integrated Computer mount
TAPE	Roubaix S-Wrap
SADDLE	S-Works Power, carbon rails, carbon base, synthetic leather
SEATPOST	S-Works Pavé
FRONT BRAKE	SRAM RED eTAP AXS, hydraulic disc
REAR BRAKE	SRAM Red eTap hydraulic disc brake
SHIFT LEVERS	SRAM Force eTap AXS
FRONT DERAILLEUR	SRAM RED eTAP AXS, braze-on
REAR DERAILLEUR	SRAM RED eTAP AXS, 12-speed
CASSETTE	SRAM RED XG-1290, 12-speed, 10-33t
CRANKSET	SRAM FC Red DUB, Power Meter, 12-speed
CHAINRINGS	46/33T
BOTTOM BRACKET	SRAM DUB BSA 68
CHAIN	SRAM CN Red 12-speed
FRONT WHEEL	Roval CLX 32 Disc
REAR WHEEL	Roval CLX 32 Disc
REAR HUB	LuHai_RVT48L-K5-B25-AN2-N4-F0, Tubeless valve stem for CLX 32 Tubeless wheels.
FRONT TIRE	Turbo Cotton, 700x28
REAR TIRE	Turbo Cotton, 700x28

S-WORKS ROUBAIX - SRAM RED ETAP AXS

	44	49	52	54	56	58	61
Stack (mm)	540	555	570	585	605	630	665
Reach (mm)	353	363	368	376	384	392	398
Head Tube Length (mm)	90	100	112	125	143	170	205
Head Tube Angle (degrees)	70	71.5	72	72.75	73.5	73.5	74
BB Height (mm)	265	265	265	266	266	268	268
BB Drop (mm)	77.5	77.5	77.5	76	76	74.5	74.5
Trail (mm)	71	62	59	61	55	55	52
Fork Length, Full (mm)	370	370	370	370	370	370	370
Fork Rake/Offset (mm)	50	50	50	44	44	44	44
Front Center (mm)	580	581	586	585	592	607	618
Chainstay Length (mm)	413	413	413	415	415	418	418
Wheelbase (mm)	981	982	986	988	995	1014	1024
Top Tube Length, Horizontal (mm)	512	525	533	545	563	579	595
Bike Standover Height (mm)	682	715	743	762	783	805	844
Seat Tube Length (mm)	410	410	446	465	485	505	547
Seat Tube Angle (degrees)	74	74	74	74	73.5	73.5	73.5

PART NO.	DESCRIPTION	COLOR	SIZE
94420-0244	ROUBAIX SW ETAP	CARB-TARBLK	44
94420-0249			49
94420-0252			52
94420-0254			54
94420-0256			56
94420-0258			58
94420-0261			61

S-WORKS ROUBAIX - SHIMANO DURA-ACE Di2



Gloss Dove Gray/Rocket Red/Black

With six wins at Paris-Roubaix, our Roubaix has proven that Smoother is Faster. Until this moment, however, smooth has admittedly come with some compromises. But not anymore. The all-new S-Works Roubaix now delivers compliance without compromise by introducing radical new Future Shock 2.0 that gives you more control and damping options, a new Pavé seatpost that creates our most balanced Roubaix to date, aerodynamics that equal the Tarmac, and a Rider-First Engineered™ frame that tips the scales below 900 grams (Size: 56cm | Black). Is it still comfortable? Sure, but don't call it a comfort bike, because performance was behind every engineering decision we made. This is the new Roubaix.

- The new frame delivers compliance without compromise via the perfect balance of aerodynamics, light overall weight, compliance, and Rider-First Engineering™. With tube shapes that were born in our FreeFoil Shape Library and validated in the Win Tunnel, the new Roubaix's as aero as the Tarmac SL6. Meanwhile, to ensure the weight and ride quality, we turned to a Rider-First Engineered™ design to deliver optimal stiffness and compliance across all sizes, from 44 to 64cm. Of course, the frame also stays below 900 grams (Size 56cm | Black). And to prep you for your own Hell of the North, we've made room for 33mm tires.
- To go along with the new frame, we've also developed a totally-new S-Works Pavé seatpost. Not only is it the first compliant seatpost that's ALSO aerodynamic, it does so without any additional weight or finicky contraptions. Starting with the same D-shape design found on the Tarmac, we took its compliance a step further by building additional flex into the upper and developing a new drop-clamp design in the frame. This provides plenty of compliance, while staying perfectly balanced with the front-end, so you get a smooth, balanced ride no matter how rough the road.
- The Future Shock 2.0 is the result of our pro riders' demands for the cobbles of Roubaix. It's smoother, faster, and gives you more control via a knob atop the stem. This knob adjusts compression from fully-open to stiff, while hydraulically-damped internals control rebound. Add it up, and this latest version will reduce fatigue and increase your speed, no matter the terrain. The new Smooth Boot, top cap, and Future Stem also enhance the aesthetic, so you get a clean transition from head tube to stem.

SPECS

Specifications subject to change without notice.

FRAME	FACT 11R, Rider First Engineered™ (RFE), FreeFoil Shape Library tubes, threaded BB, 12x142mm thru-axle, flat-mount disc
FORK	Future Shock 2.0 w/ Damper, Smooth Boot, 12x100 mm thru-axle, flat-mount
HANDLEBARS	S-Works Carbon Hover Drop, 125x75mm
STEM	S-Works Future Stem w/ Integrated Computer mount
TAPE	Roubaix S-Wrap
SADDLE	S-Works Power, carbon rails, carbon base, synthetic leather
SEATPOST	S-Works Pavé
FRONT BRAKE	Shimano Dura-Ace, Hydraulic Disc
REAR BRAKE	Shimano Dura-Ace, Hydraulic Disc
SHIFT LEVERS	Shimano Dura-Ace Di2 Disc R9170
FRONT DERAILLEUR	Shimano Dura-Ace Di2 R9150, braze-on
REAR DERAILLEUR	Shimano Dura-Ace Di2 R9150, 11-speed
CASSETTE	Shimano Dura-Ace R9100, 11-speed, 11-30t
CRANKSET	Shimano Dura-Ace R9100, HollowTech 2, 11-speed
CHAINRINGS	50/34T
BOTTOM BRACKET	Shimano Dura-Ace, BB-R9100
CHAIN	Shimano Dura-Ace, 11-speed
FRONT WHEEL	Roval CLX 50
REAR WHEEL	Roval CLX 50
REAR HUB	LuHai_RVT66L-K5-B25-AN2-N4-F0, Tubeless valve stem for CLX 50 Tubeless wheels.
FRONT TIRE	Turbo Cotton, 700x28
REAR TIRE	Turbo Cotton, 700x28

S-WORKS ROUBAIX - SHIMANO DURA-ACE Di2

	44	49	52	54	56	58	61
Stack (mm)	540	555	570	585	605	630	665
Reach (mm)	353	363	368	376	384	392	398
Head Tube Length (mm)	90	100	112	125	143	170	205
Head Tube Angle (degrees)	70	71.5	72	72.75	73.5	73.5	74
BB Height (mm)	265	265	265	266	266	268	268
BB Drop (mm)	77.5	77.5	77.5	76	76	74.5	74.5
Trail (mm)	71	62	59	61	55	55	52
Fork Length, Full (mm)	370	370	370	370	370	370	370
Fork Rake/Offset (mm)	50	50	50	44	44	44	44
Front Center (mm)	580	581	586	585	592	607	618
Chainstay Length (mm)	413	413	413	415	415	418	418
Wheelbase (mm)	981	982	986	988	995	1014	1024
Top Tube Length, Horizontal (mm)	512	525	533	545	563	579	595
Bike Standover Height (mm)	682	715	743	762	783	805	844
Seat Tube Length (mm)	410	410	446	465	485	505	547
Seat Tube Angle (degrees)	74	74	74	74	73.5	73.5	73.5

PART NO.	DESCRIPTION	COLOR	SIZE
94420-0044	ROUBAIX SW Di2	DOV GRY/RCK RED/BLK	44
94420-0049			49
94420-0052			52
94420-0054			54
94420-0056			56
94420-0058			58
94420-0061			61

ROUBAIX PRO - SRAM FORCE ETAP AXS



Gloss Teal Tint/Charcoal/Blue

With six wins at Paris-Roubaix, our Roubaix has proven that Smoother is Faster. Until this moment, however, smooth has admittedly come with some compromises. But not anymore. The all-new Roubaix Pro now delivers compliance without compromise by introducing a radical new Future Shock 2.0 that gives you more control and damping options, a new Pavé seatpost that creates our most balanced Roubaix to date, aerodynamics that equal the Tarmac, and a Rider-First Engineered™ frame that's shed some serious weight. Is it still comfortable? Sure, but don't call it a comfort bike, because performance was behind every engineering decision we made. This is the new Roubaix.

- The new frame delivers compliance without compromise via the perfect balance of aerodynamics, light overall weight, compliance, and Rider-First Engineering™. With tube shapes that were born in our FreeFoil Shape Library and validated in the Win Tunnel, the new Roubaix's as aero as the Tarmac SL6. Meanwhile, to ensure the weight and ride quality, we turned to a Rider-First Engineered™ design to deliver optimal stiffness and compliance across all sizes, from 44 to 64cm. Of course, the frame has shed some serious weight in the process. And to prep you for your own Hell of the North, we've made room for 33mm tires.
- To go along with the new frame, we've also developed a totally-new S-Works Pavé seatpost. Not only is it the first compliant seatpost that's ALSO aerodynamic, it does so without any additional weight or finicky contraptions. Starting with the same D-shape design found on the Tarmac, we took its compliance a step further by building additional flex into the upper and developing a new drop-clamp design in the frame. This provides plenty of compliance, while staying perfectly balanced with the front-end, so you get a smooth, balanced ride no matter how rough the road.
- The Future Shock 2.0 is the result of our pro riders' demands for the cobbles of Roubaix. It's smoother, faster, and gives you more control via a knob atop the stem. This knob adjusts compression from fully-open to stiff, while hydraulically-damped internals control rebound. Add it up, and this latest version will reduce fatigue and increase your speed, no matter the terrain. The new Smooth Boot, top cap, and Future Stem also enhance the aesthetic, so you get a clean transition from head tube to stem.

SPECS	Specifications subject to change without notice.
FRAME	FACT 10R, Rider First Engineered™ (RFE), FreeFoil Shape Library tubes, threaded BB, 12x142mm thru-axle, flat-mount disc
FORK	Future Shock 2.0 w/ Damper, Smooth Boot, 12x100 mm thru-axle, flat-mount
HANDLEBARS	S-Works Carbon Hover Drop, 125x75mm
STEM	Future Stem, Pro
TAPE	Roubaix S-Wrap
SADDLE	Power Pro
SEATPOST	S-Works Pavé
FRONT BRAKE	SRAM Force eTap hydraulic disc brake
REAR BRAKE	SRAM Force eTap hydraulic disc brake
SHIFT LEVERS	SRAM Force eTap AXS
FRONT DERAILLEUR	SRAM Force eTap AXS
REAR DERAILLEUR	SRAM Force eTap AXS
CASSETTE	SRAM CS XG 1270 10-33, 12-speed
CRANKSET	SRAM FC Force DUB, 12-speed
CHAINRINGS	46/33T
BOTTOM BRACKET	SRAM DUB BSA 68
CHAIN	SRAM CN Force 12-speed
FRONT WHEEL	Roval CL 32 Disc
REAR WHEEL	Roval CL 32 Disc
REAR HUB	LuHai_RVT48L-K5-B25-AN2-N4-F0, Tubeless valve stem for CLX 32 Tubeless wheels.
FRONT TIRE	Turbo Pro, 700x28mm
REAR TIRE	Turbo Pro, 700x28mm

ROUBAIX PRO - SRAM FORCE ETAP AXS

	44	49	52	54	56	58	61
Stack (mm)	540	555	570	585	605	630	665
Reach (mm)	353	363	368	376	384	392	398
Head Tube Length (mm)	90	100	112	125	143	170	205
Head Tube Angle (degrees)	70	71.5	72	72.75	73.5	73.5	74
BB Height (mm)	265	265	265	266	266	268	268
BB Drop (mm)	77.5	77.5	77.5	76	76	74.5	74.5
Trail (mm)	71	62	59	61	55	55	52
Fork Length, Full (mm)	370	370	370	370	370	370	370
Fork Rake/Offset (mm)	50	50	50	44	44	44	44
Front Center (mm)	580	581	586	585	592	607	618
Chainstay Length (mm)	413	413	413	415	415	418	418
Wheelbase (mm)	981	982	986	988	995	1014	1024
Top Tube Length, Horizontal (mm)	512	525	533	545	563	579	595
Bike Standover Height (mm)	682	715	743	762	783	805	844
Seat Tube Length (mm)	410	410	446	465	485	505	547
Seat Tube Angle (degrees)	74	74	74	74	73.5	73.5	73.5

PART NO.	DESCRIPTION	COLOR	SIZE
94420-1044	ROUBAIX PRO ETAP	TEAL TINT/CHAR/BLUE	44
94420-1049			49
94420-1052			52
94420-1054			54
94420-1056			56
94420-1058			58
94420-1061			61